FOREIGN PATENT DOCUMENTS

WO	WO 02/059300 A3	8/2002
WO	WO 03/029459 A2	4/2003
WO	WO 03/033700 A1	4/2003
WO	WO 03/099298 A1	12/2003

OTHER PUBLICATIONS

Elbashir et al., RNA interference is mediated by 21- and 22-nucleotide RNAs, Jan. 2001, Genes & Development, vol. 15, pp. 188-200.*

Elbashir et al., Functional anatomy of siRNAs for mediating efficient RNAi in Drosophila melanogaster embryo lysate, 2001, The EMBO Journal, vol. 20, No. 23, pp. 6877-6888.* U.S. Appl. No. 60/130,377, filed Apr. 21, 1999, Pachuk et al. U.S. Appl. No. 60/279,661, filed Mar. 30, 2001, Tuschl.

Press Release, Nov. 15, 2001, AGY Therapeutics Announces Study Demonstrating Utility of RNA Interference in Mammalian Cells for CNS Drug Discovery.

Reviews, "Antisense oligonucleotides: towards clinical trials", Oct. 1996, vol. 4, pp. 376-387.

Ahlquist, "RNA-Dependent RNA Polymerases, Viruses, and RNA Silencing", SCIENCE, vol. 296, May 17, 2002, pp. 1270-1273.

Anderson, "Human gene therapy", NATURE, vol. 392, Apr. 30, 1996, pp. 25-31.

Bahramian et al., "Transcriptional and Posttranscriptional Silencing of Rodent α1(I) Collagen by a Homologous . . .", Molecular and Cellular Biology, Jan. 1999, p. 274-283.

Steinberg, "MicroRNA Shows Macro Potential", The Scientist, vol. 17, Issue 12, 22, Jun. 16, 2003, p. 1-9.

Billy et al., "Specific interference with gene expression induced by long, double-stranded RNA in mouse embryonal . . . ", PNAS, Dec. 4, 2001, vol. 98, No. 25, pp. 14428-14433.

Bosher et al., "RNA interference: genetic wand and genetic watchdog", Nature Cell Biology, vol. 2, Feb. 2000, pp. E31-E36.

Branch, "A good antisense molecule is hard to find", TIBS 23, Feb. 1998, pp. 45-50.

Brummelkamp et al., "A System for Stable Expression of Short Interfering RNAs in Mammalian Cells", SCIENCEXPRESS, Mar. 21, 2002, pp. 1-6.

Caplen et al., "Specific inhibition of gene expression by small double-stranded RNAs in invertebrate and vertebrate systems", PNAS, Aug. 14, 2001, vol. 98, No. 17, pp. 9742-9747.

Carmell et al., "The Argonaute family: tentacles that reach into RNAI, developmental control, stem cell maintenance, and tumorigenesis", Genes & Development, 16: 2733-2742. Castanotto et al., "Functional siRNA expression from transfected PCR products", RNA (2002), 8: 1454-1460.

Chiu et al., "siRNA function in RNAi: A chemical modification analysis", RNA (2003), 9: 1034-1048.

Chiu et al., "RNAi in Human Cells: Basic Structural and Functional Features of Small Interfering RNA", Molecular Cell, vol. 10, 549-561, Sep. 2002.

Clemens et al., "Use of double-stranded RNA interference in Drosophila cell lines to dissect signal transduction pathways", PNAS, Jun. 6, 2000, vol. 97, No. 12, 6499-6503.

Clemens et al., "The Double-Stranded RNA-Dependent Protein Kinase PKR: Structure and Function", Journal of Interferon and Cytokine Research, 17:503-524 (1997).

Corsi et al., "Caenorhabditis elegans Twist plays an essential role in non-striated muscle development", DEVELOP-MENT 127, 2041-2051 (2000).

Devroe et al., "Retrovirus-delivered siRNA", BMC Biotechnology, 2002, 2, pp. 1-5.

Dichoso et al., "The MADS-Box Factor CeMEF2 is not Essential for Caenorhabditis elegans Myogenesis and Development", Developmental Biology 223, 431-440 (2000).

Elbashir et al., "Functional anatomy of siRNAs for mediating efficient RNAi in Drosophila melanogaster embryo lysate", The Embo Journal, vol. 20, No. 23, pp. 6877-6888, 2001.

Elbashir et al., "Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells", NATURE, vol. 411, May 24, 2001.

Elela et al., Depletion of yeast Rnase III blocks correct U2 3' end formation and results in polyadenylated but functional U2 snRNA, The Embo Journal, vol. 17, No. 13, pp. 3738-3746, 1998.

Escobar et al., "RNAi-mediated oncogene silencing confers resistance to crown gall tumorigensis", PNAS, Nov. 6, 2001, vol. 98, No. 23, 13437-13442.

Filippov et al., "A novel type of RNase III family proteins in eukaryotes", GENE 245 (2000) 213-221.

Gonczy et al., Functional genomic analysis of cell division in C.elegans using RNAi of genes on chromosome III, NATURE, vol. 408, Nov. 16, 2000, 331-336.

Grishok et al., "Target dependent accumulation of small RNAs during RNAi in C. elegans", International C. elegans Meeting 2001, 307.

Grishok and Mello, VI. RNAi and Development References, Abstract, pp. 340-360.

Hammond et al., "Argonaute2, a Link Between Genetic and Biochemical Analyses of RNAi", SCIENCE, Aug. 10, 2001, vol. 293, pp. 1146-1150.

Hsieh et al., "The RING finger/B-Box factor TAM-1 and a retinoblastoma-like protein LIN-35 modulate context-dependent gene silencing in Caenorhabditis elegans", Genes & Development, 13:2958-2970. (1990).

Hsieh et al., "Recognition and Silencing of Repeated DNA", Annu. Rev. Genet. 2000, 34, 187-204.

Hutvagner et al., "Detailed Characterization of the post-transcriptional gene-silencing-related small RNA in a GUS gene-silenced tobacco", RNA, (2000), 6:1445-1454.

Hutvagner et al., "In vitro processing of pre-let-7 RNA", Department of Biochemistry & Molecular Pharmacology. Hutvagner et al., "A Cellular Function for the RNA-Interference Enzyme Dicer in the Maturation of the let-7 Small Temporal RNA", SCIENCE, Aug. 3, 2001, vol. 293, pp. 834-838.

Hutvagner et al., "Intersection of the RNA Interference and Small Temporal RNA Pathways", Eukaryotic mRNA Processing.

PCT International Search Report for PCT/US01/10188.

Jarvis, "Optimize Transfection of siRNAs for RNAi", a technical article from Ambion.

Kostich et al., "Identification and molecular-genetic characterization of a LAMP/CD68-like protein from Caenorhabditis elegans", Journal of Cell Science, 113, 2595-2606, (2000).

Lee et al., "Expression of small interfering RNAs targeted against HIV-1 rev transcripts in human cells", Nature Biotechnology, vol. 19, May 2002, pp. 500-505.

Levin et al., "Methods of double-stranded RNA-mediated gene inactivation in Arabidopsis and their use to define an essential gene in methionine biosynthesis", Plant Molecular Biology, 44: 759-775, 2000.